


oddy

XL RANGE OF 2 POCKET AND 3 POCKET ROLL AND BREAD DIVIDER MOULDERS



Modern compact adaptable machines
for the production of
a wide range of morning goods and bread




XL 20

2 POCKET ROLL DIVIDER MOULDER with automatic dividing and moulding of products in any of the following configurations:-

| | |
|-----------------------------|---|
| 2 POCKET— | Output: 3500 pieces per hour Weight Range: 28gm-120gm |
| 1 POCKET (MOULDED PIECE) | Output: 1500 pieces per hour Weight Range: 28gm-280gm |
| 1 POCKET— (UNMOULDED) | Output: 1750 pieces per hour Weight Range: 280gm-450gm |

Typical Products— Round rolls, fruited rolls, pie paste, bread pieces, pizza dough.

Labour— One operator*




XL 21

2 POCKET ROLL DIVIDER MOULDER as described in option **XL20** with:-

Double Roller Pinning Unit.
Electric Flour Sifter (optional extra)

Typical Products— Round rolls, fruited rolls, pie paste, baps, teacakes, breadcakes, muffins.

Labour— One operator*




XL 22

2 POCKET ROLL DIVIDER MOULDER as described in Option **XL20** with:-

Finishing Table comprising double roller pinning unit, top belt finger roll unit, electric flour sifter (optional extra).

Typical Products— Round rolls, fruited rolls, pie paste, baps, teacakes, breadcakes, finger rolls.

Labour— One operator*



XL 23

2 POCKET ROLL DIVIDER MOULDER as described in Option **XL20** with:-

Intermediate Proofer with seam control and a proof time to suit the Customer.
Double roller Pinning Unit.

Typical Products— Round rolls, fruited rolls, baps, teacakes, breadcakes, muffins.

Labour— One operator*

An intermediate proofer can be supplied with all roll configurations except Combo Plant.

*One full-time Operator for offloading operation. Occasional dough feeding is carried out by the mixer Operator.


oddy

2 AND 3 POCKET XL PRODUCTION RANGE

A simple system designed for the small and medium baker with self contained units that can be arranged in a variety or combination to suit individual customer requirements.

All units British Made with safety guards and interlocked covers to the latest standard.

Bulk hopper feed is standard on all XL Range Divider Moulders.



XL 30 3 POCKET ROLL & BREAD DIVIDER MOULDER

in any of the following configurations:-


Rolls or like products:

| | |
|-----------|--|
| 3 POCKET— | Output: 5000 pieces per hour Weight Range: 28gm-140gm |
| 2 POCKET— | Output: 3360 pieces per hour Weight Range: 28gm-280gm |

Bread Products:

| | |
|-----------|---|
| 1 POCKET— | Output: 1080 pieces per hour Weight Range: 250gm-900gm |
|-----------|---|

Labour— One operator*



3 Pocket machine can also be supplied in any of the other configurations shown for the 2 Pocket range


XL 31 3 POCKET ROLL & BREAD DIVIDER MOULDER

as described in Option XL 30 with:-

For Rolls only— Double roller Pinning Unit, electric flour sifter (optional extra).

Typical Products — as XL 21 but Divider Moulder will produce bread with first mould.

Labour— One operator*



Bread is transferred by hand from the Divider Moulder outlet conveyor to moulder hopper. Rolls are transferred automatically.

XL 32 3 POCKET ROLL DIVIDER MOULDER

as described in Option XL30 with:-

Universal Moulder for roll and bread production complete with sheeting and moulding rollers, pinning rollers, moulding board and finger roll board


Typical Products— Round rolls, fruited rolls, pie paste, baps, teacakes, breadcakes, finger rolls, tinned bread, bloomers etc.

Labour— One or two operators

*One full-time Operator for offloading operation. Occasional dough feeding is carried out by the mixer Operator.

COMBO 3BR BREAD & ROLL PLANT

A simple system for your complete bread and roll production. Easy change product controls. No complicated programming required.



COMBO 3BR FOR BREAD & ROLLS

Roll Production— Weight range: 28-140gm
Output: 5000 pieces per hour
Complete system for dividing, moulding, pinning and finger roll board.

Typical Products— Round rolls, fruited rolls, baps, teacakes, breadcakes, hot cross buns, finger rolls, long rolls

Labour— One operator*

Note: No intermediate Proofer for roll production

BREAD PRODUCTION

Bread Production— Weight range: 250-900gm
Output: 1080 pieces per hour
Complete system for dividing, first mould, intermediate proof, final mould.
Variable proofer outlet for variable proof time.

Typical Products— Tinned bread, bloomers, etc.

Labour— One operator*

*One full-time Operator for offloading operation. Occasional dough feeding is carried out by the mixer Operator.

THE **oddy** RANGE

1, 2, 3 & 4 Pocket Divider Moulders

Plant for fully automatic production of morning goods.

Combo 3BR bread & roll plant.

Dough, paste and meat divider.

Sausage roll/Cornish pasty plant.

Fondant and Chocolate enrober.

Hi-tilt Bowl Elevator.

WE RESERVE THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE



oddy

ODDY LIMITED,

Lenton Drive, Leeds LS11 5JW

Telephone: Leeds 716598 Telex: Chacom G 55293 for Oddy

NATIONWIDE SPARES AND AFTER SALES SERVICE.

All machines carry the ODDY 12 months guarantee.